

Vector Frame Kit 10

VF-K-10A

The innovative, contemporary and clean appearance of the Vector Frame™ line of exhibit kits will captivate your audience. Kits feature push-fit fabric graphics, easy-to-assemble extrusion frames, accent lighting, tables, literature accessories, monitor mounts and interior LED edge lighting where indicated.



features and benefits:

- 50mm silver extrusion frame
- Single-sided SEG dye-sublimated fabric graphics
- Kit includes: one frame, one fabric graphic, four rigid graphic accent wings, two 120 watt lights, and one wheeled molded case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware

Assembled unit:
114"w x 98.7"h x 24.13"d
2895mm(w) x 2506mm(h) x 613mm(d)

Approximate weight:
34 lbs / 16 kg

Shipping

Packing case(s):
1 OCE

Shipping dimensions:
OCE: Expandable case length (l) may vary
40" - 66"l x 18"h x 18"d
1016mm-1677mm(l) x 458mm(h) x 458mm(d)

Approximate total shipping weight:
61 lbs / 28 kg

Graphic

Refer to related graphic template for more information.

Visit:
<https://www.theexhibitorshandbook.com/download-graphic-templates>

additional information:

Graphic material:
Dye-sublimation SEG push-fit fabric

Lights Included:
Lumina 200







This product may include the following materials for recycle:
aluminum, select wood, fabric, cardboard, paper, steel, and plastics.

1 person assembly recommended:



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.


*Not to scale



CB9-S

*CB9 & IB2 connection
are consistent

CB9-S



IB2


IB2

IB2

IB2

CB9-R


CB9-R



Fit graphic into corners, then "tap" into rest of frame channel.


"Sliding down" graphic is not recommended for best installation.

Repeat for backer.



Backer
2nd channel

Graphic
1st channel



Backer
2nd channel

Graphic
1st channel



