

Vector Frame Kit 22

VF-K-22A

The innovative, contemporary and clean appearance of the Vector Frame™ line of exhibit kits will captivate your audience. Kits feature push-fit fabric graphics, easy-to-assemble extrusion frames, accent lighting, tables, literature accessories, monitor mounts and interior LED edge lighting where indicated.



features and benefits:

- 50mm silver extrusion frame
- Single-sided fabric graphics
- Kit includes: three frames, three fabric graphic panels, four rigid graphic wing accents, two monitor mounts*, two lights, and one molded storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Hardware

Assembled unit:
228.25" w x 102" h x 37.75" d
5798mm(w) x 2591mm(h) x 959mm(d)

Approximate weight:
143 lbs / 65 kg

Shipping

Packing case(s):
1 OCE-2

Shipping dimensions:
OCE-2: Expandable case length (l) may vary
40" - 66" l x 18" h x 18" d
1016mm-1677mm(l) x 458mm(h) x 458mm(d)

Approximate total shipping weight:
170 lbs / 96 kg

Graphic

Refer to related graphic template for more information.

Visit:

<https://www.theexhibitorshandbook.com/download-graphic-templates>

additional information:

Graphic material:
Dye-sublimation SEG push-fit fabric,
UV prints on 6mm Sintra

Monitor mount holds max weight:
80 lbs / 37 kg

Monitor mount holds VESA patterns:
200 x 200 up to 400 x 400mm

*monitors not included





This product may include the following materials for recycle:
aluminum, select wood, fabric, cardboard, paper, steel, and plastics.


2 person assembly recommended:








We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.


*Not to scale








*CB9 & IB2 connection are consistent



Backer
2nd channel

Graphic
1st channel



x4

