

Zoom Flex Large Fiber Flag

ZOOM-FLX-LG
ZOOM-FLX-LG-E

The Zoom Flex Flag features a full fiber pole and wind-resistant flag. For indoor or outdoor use, the flexible, design allows the graphic to rotate in the wind. The Zoom Flex Flag comes in your choice of single or double-sided and is offered in four shapes - Feather, Straight, Teardrop and Edge. Heights vary based on flag shape. Ground stake and storage bag included.



EDGE

TEARDROP

STRAIGHT

FEATHER



This product may include the following materials for recycle:
aluminum, select wood, fabric, cardboard, paper, steel, and plastics.

We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

05/22/2025

features and benefits:

- Can be used indoors or out
- Graphic rotates in wind
- Ground stake and storage bag included
- Water fillable donut adds stability to the floor base (recommended)
- Four graphic shape options: Flex- Feather, Straight, Teardrop, and Edge- rectangle.
- Additional sizes available
- Includes carry bag or case
- Double-sided graphic available
- One year hardware warranty against manufacturer defects

dimensions:

Hardware	Graphic
Assembled unit: Maximum (dimensions may vary based on shape) FLEX: 64" w x 178.38" h x 0.75" d 1626mm(w) x 4531mm(h) x 45mm(d) FLEX-EDGE: 46" w x 160.13" h x 1" d 1168mm(w) x 4067mm(h) x 45mm(d)	Six month warranty. Visit: https://www.theexhibitorshandbook.com/download-graphic-templates
Shipping	additional base options:  *For best performance drive the flag holder in flush to the ground *See supplement for more information on bases
Shipping dimensions (HARDWARE ONLY): FLEX: 47" l x 3" h x 5" d 1194mm(l) x 76mm(h) x 127mm(d) FLEX-EDGE: 57" l x 3" h x 6" d 1575mm(l) x 152mm(w) x 152mm(d) Approximate total shipping weight: FLEX: 7lbs / 4kg FLEX-EDGE: 8lbs / 4kg	

additional information:

For applications below 40°, use sand in place of water.


If graphics are ordered they will nested with the hardware in a single box.

Wind rating: 37mph / 60kph max

Use in adverse weather voids all warranties.


SET-UP ZOOM-FLEX

Flag Size:	Number of Poles
Small	3
Medium	4
Large	4
Extra Large	5




SET-UP ZOOM-FLEX-EDGE

Flag Size:	Number of Poles
Small	3
Medium	4
Large	4
Extra Large	5




Attaching Graphic for ZOOM-FLEX




Feed pole through the pocket of the graphic.

1



The hook can adjust to ensure it is in a good position.

2



Wrap the loop around the hook.

3




The graphic is now in place.

4



Place flag on base.


5



Assembly complete


6

Attaching Graphic for ZOOM-FLEX-EDGE




Feed pole through the pocket of the graphic.

1



Put hook in place on the bottom pole.

2



Wrap the loop around the hook.

3




The graphic is now in place.

4



Place flag on base.

5



Assembly complete.

6

Zoom Flag Bases

Zoom Cross Base




ZOOM-FLX-CB

*Water ring recommended

Assembled dimensions and weight:
31"W x 6.75"H x 24"D 4lbs
Shipping dimensions and weight:
32"L x 4"H x 2"D 5lbs

Zoom Square Steel Base



5/8" Diameter

ZOOM-FLX-SQ

*Water ring recommended

Assembled dimensions and weight:
17.5"W x 5"H x 17.5"D 28lbs
Shipping dimensions and weight:
19"L x 18.5"H x 3.5"D 30lbs

Zoom Water Ring Base Support



ZOOM-FLX-WR

*Holds up to one gallon of liquid

Assembled dimensions and weight:
20.28"W x 5"H x 20.28"D 1lbs
Shipping dimensions and weight:
8"L x 4"H x 4"D 2lbs

Zoom Fillable Base



5/8" Diameter

ZOOM-FLX-FB

*Holds up to 7 gallons of liquid

Assembled dimensions and weight:
19.7"W x 10.25"H x 19.7"D 7lbs
Shipping dimensions and weight:
22"L x 21"H x 10"D 9lbs

Zoom Ground Stake Base

5/8" Diameter



ZOOM-FLX-STK

Ground Stake

Assembled dimensions and weight:
23.75"W x 1.25"H x 1.77"D 3lbs
Shipping dimensions and weight:
25"L x 2"H x 2"D 4lbs

Zoom Auger Base




ZOOM-FLX-AGR

Screw in plastic base

Assembled dimensions and weight:
8.88"W x 21.75"H x 3.75"D 3lbs
Shipping dimensions and weight:
24"L x 6"H x 6"D 4lbs

Zoom Drive-Over Base



5/8" Diameter

ZOOM-FLX-DO

Capable of being driven on or over

Assembled dimensions and weight:
23.62"W x 5.71"H x 7.87"D 14lbs
Shipping dimensions and weight:
24"L x 10"H x 3"D 16lbs

Zoom Stackable Base
5/8" Diameter



ZOOM-FLX-STCK-BASE

*Holds up to 7 gallons of liquid


Assembled dimensions and weight:
25"W x 11"H x 25"D 8lbs
Shipping dimensions and weight:
27"L x 26"H x 8"D 10lbs

Optional Zoom Flag Accessory

TNT-ZOOM-ACC

Recommended for Small and Medium flags.

Components



Step by Step



Step 1.

Clamp the two accessory pieces to the chosen tent leg.



Step 2.

Lock the accessory pieces in place with the included screws.



Step 3.

Unscrew the pole pin wing nut, slide the pin through the accessory piece hole, and lock in place with the wing nut.

Place your Zoom Flag pole on the pole pin.