Images Go Left to Right

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME A

(Use same template for front and back graphics)
Graphic Dimensions: 39.75"W x 88.625"H
Yellow Safe Area: 33" W x 81" H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75" x 88.625"

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I - 20 x 10
FRAME B

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME C

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME D

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME E BACK

(Front graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME F BACK

(Front graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME G BACK

(Front graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME H

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME I

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME J

(Use same template for front and back graphics)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME K FRONT

(Back graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME L FRONT

(Back graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SEGO Configuration I
FRAME M FRONT

(Back graphic is blockout panel)
Graphic Dimensions: 39.75“W x 88.625“H
Yellow Safe Area: 33” W x 81” H

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.75” x 88.625”

ANY CONTINUOUS ARTWORK TO MATCH UP OR LINE UP WITH ANOTHER PRINT MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC. IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-0423.20