
SHOWBIRD 120 20 X 10 CONFIGURATION C

SHOWBIRD 120 MODULAR LIGHTBOX

PRODUCT CODE: SB120-2010-C

SINGLE SIDED | DOUBLE SIDED | INDOOR USE

TEMPLATE GUIDE



SINGLE SIDED

1. SB120-600X240 - BACKWALL
2. SB120-100X240 - RETURN
3. SB120-100X240 - BRIDGE BOTTOM
4. SB120-100X240 - BRIDGE SUPPORT
5. SB120-100X240 - ROOM LEFT
6. SB120-100X240 - DOOR
7. SB120-100X240 - ROOM RIGHT

DOUBLE SIDED

8. SB120-600X240 - BACKWALL
9. SB120-100X240 - RETURN
10. SB120-100X240 - BRIDGE TOP
11. SB120-100X240 - BRIDGE SUPPORT
12. SB120-100X240 - ROOM LEFT
13. SB120-100X240 - DOOR
14. SB120-100X240 - ROOM RIGHT

NUMBERS ON THE IMAGE ABOVE INDICATE THE TEMPLATE LOCATION # ON FRAME
PLEASE USE TEMPLATE FILE NAME FOR EACH GRAPHIC FILE: “SB120-2010-C-1”
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 300x240

UPLOAD AT 50% SCALE
DOCUMENT SIZE 117.875" x 44.3125"

YELLOW SAFE AREA: 113.875"W x 40.3125" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 300x240

UPLOAD AT 50% SCALE
DOCUMENT SIZE 117.875" x 44.3125"

YELLOW SAFE AREA: 113.875"W x 40.3125" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 120 100x240

UPLOAD AT 100% SCALE
DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
USE SAME TEMPLATE FOR FRONT AND BACK GRAPHICS

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf