
SHOWBIRD 65 MODULAR LIGHTBOX 20 X 10 CONFIGURATION G

SHOWBIRD 65 MODULAR LIGHTBOX
PRODUCT CODE: SB65-2010-G

TEMPLATE GUIDE



SINGLE SIDED - BACKLIT

1. SB65-300X240 - BACKWALL
2. SB65-300X240 - BACKWALL
3. SB65-100X240 - RETURN LEFT
4. SB65-100X240 - BRIDGE LEFT
5. SB65-100X240 - BRIDGE SUPPORT LEFT
6. SB65-100X240 - BRIDGE SUPPORT RIGHT
7. SB65-100X240 - BRIDGE RIGHT
8. SB65-100X240 - RETURN RIGHT

DOUBLE SIDED - NON-BACKLIT

9. SB65-300X240 - BACKWALL
10. SB65-300X240 - BACKWALL
11. SB65-100X240 - RETURN LEFT
12. SB65-100X240 - BRIDGE SUPPORT LEFT
13. SB65-100X240 - BRIDGE SUPPORT RIGHT
14. SB65-100X240 - RETURN RIGHT

*TOP SIDE OF BRIDGE DOES NOT HAVE A NON-BACKLIT GRAPHIC OPTION BY DEFAULT

NUMBERS ON THE IMAGE ABOVE INDICATE THE TEMPLATE LOCATION # ON FRAME
PLEASE USE TEMPLATE FILE NAME FOR EACH GRAPHIC FILE: “SB65-2010-G-1-BL”

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 300x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 118” x 95.75”

YELLOW SAFE AREA: 110”W x 87.75” H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 300x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 118” x 95.75”

YELLOW SAFE AREA: 110”W x 87.75” H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 300x240

NON-BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 118” x 95.75”

YELLOW SAFE AREA: 110”W x 87.75” H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 300x240

NON-BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 118” x 95.75”

YELLOW SAFE AREA: 110”W x 87.75” H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

NON-BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

NON-BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

NON-BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25

PLEASE DELETE ALL TEMPLATE ELEMENTS BEFORE UPLOADING

SHOWBIRD 65 100x240

NON-BACKLIT

UPLOAD AT 100% SCALE

DOCUMENT SIZE 39.5" x 95.75"

YELLOW SAFE AREA: 31.5"W x 87.75" H
CONTINUOUS GRAPHICS MAY NOT LINE UP PERFECTLY

KEEP ALL IMPORTANT GRAPHICS
SUCH AS: LOGOS, TEXT, CONTACT INFO, ETC.
IN THE YELLOW SAFE ZONE

ARTWORK IN THE BLUE AREA WILL PRINT BUT IS IN RISK
OF BEING CLOSE TO THE EDGE OR TRIMMED OFF

Graphic Specifications:
- Create to template specs
- 125 DPI resolution
- CMYK color
- No template lines
- Embed/link all images
- Create to outline all fonts

Acceptable file formats:
- Photoshop (.psd, . psb)
- Illustrator (.ai, .eps)
- Flattened .tiff
- Press quality .pdf

Ver-813.25